


08/31/01

ISSUE CLASSIFICATION	
Class	Subclass

PATENT NUMBER

U.S. UTILITY Patent Application

<p>mk O.I.P.E. SCANNED M.S. ④ Q.A. <i>TPM</i></p>	<p>PATENT DATE</p>
---	--------------------

APPLICATION NO. 09/867615	CONT/PRIOR F	CLASS 716 717	SUBCLASS 4	ART UNIT 2825 2/24	EXAMINER 
------------------------------	-----------------	---------------------	---------------	--------------------------	---

TS Yugo Kashiwagi

9C Water

APPLICANTS

TITLE

System developing method, storage medium, information processing apparatus, information terminal apparatus, information processing system, and information processing method

PTO-2040
12/99

ISSUING CLASSIFICATION									
ORIGINAL			CROSS REFERENCE(S)						
CLASS	SUBCLASS		CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)					
INTERNATIONAL CLASSIFICATION									

☐ Continued on Issue Slip Inside File Jacket

<input type="checkbox"/> TERMINAL DISCLAIMER	DRAWINGS			CLAIMS ALLOWED			
	Sheets Drwg.	Figs. Drwg.	Print Fig.	Total Claims	Print Claim for O.G.		
<input type="checkbox"/> The term of this patent subsequent to _____ (date) has been disclaimed.	_____ (Assistant Examiner) (Date)			NOTICE OF ALLOWANCE MAILED _____			
<input type="checkbox"/> The term of this patent shall not extend beyond the expiration date of U.S. Patent. No. _____ _____ _____	_____ _____ _____ (Primary Examiner) (Date)			ISSUE FEE <table border="1"> <tr> <td>Amount Due</td> <td>Date Paid</td> </tr> </table>		Amount Due	Date Paid
	Amount Due	Date Paid					
<input type="checkbox"/> The terminal ____ months of this patent have been disclaimed.	_____ _____ (Legal Instruments Examiner) (Date)			ISSUE BATCH NUMBER _____			
WARNING: The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35, Sections 122, 181 and 368. Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only.							

Form PTO-436A
(Rev. 6/99)

FILED WITH: ☐ DISK (CRF) ☐ FICHE ☐ CD-ROM
(Attached in pocket on right inside flap)

BEST AVAILABLE COPY